



Product Family
Sperian A700 Series

Economical and stylish eye protection with sport temples for a fashionable yet comfortable fit. Sporty- wrap-around design. Slim version also available.

Product Numbers & Ordering Information	Product Numbers	Details
	1015361	Clear Frame Clear Lens, Anti-scratch Coating
	1015362	Gray Frame TSR Gray Lens, Anti-scratch Coating
	1015441	Amber Frame Amber Lens, Anti-scratch Coating

	<p>1015440</p>	<p>Gray Frame Blue Mirror Lens, Anti-scratch Coating</p>
	<p>1015743</p>	<p>Gray Frame I/O Silver Lens, Anti-scratch Coating</p>
	<p>1015360</p>	<p>Clear Frame Clear Lens, Fog-Ban Anti-fog Coating</p>
	<p>1015351</p>	<p>Gray Frame TSR Gray Lens, Fog-Ban Anti-fog Coating</p>

Additional Information

Americas: information@sperianprotection.com; 800-682-0839

EU: Info-export@sperianprotection.com, infobenelux@sperianprotection.com, infofrance@sperianprotection.com, infoGermany@sperianprotection.com, Info-hungary@sperianprotection.com, infoitalia@sperianprotection.com , biuro@sperianprotection.com , salesrussia@sperianprotection.com , infospain@sperianprotection.com , infonordic@sperianprotection.com , uksales@sperianprotection.com

Asia Pacific: asia@sperianprotection.com

Overview

Key Features

- Economical and stylish eye protection
- Sport temples with soft temple tip pads for comfortable fit
- Secure wrap-around design
- Polycarbonate, distortion-free, hardcoat lenses
- Soft temple tip pads for a secure fit
- Available with scratch-resistant hardcoating or optional Fog-Ban anti-fog coating

Recommended Industries/Use

- Agriculture
- Construction
- Food Services
- Forestry
- Manufacturing
- Medical

- Mining
- Municipal Services
- Oil and Gas
- Pharmaceutical
- Steel and Metals
- Transportation
- Utilities

Hazards

- Abrasion
- Airborne Particulates
- Biohazard
- Impact
- Low Visibility

Regulations

- ANSI Z87+ - Meets ANSI Z87+ (High Impact)
- ANSI Z 87.1-1989 / CA 18,822 - ANSI Z 87.1/1989 (MTE Link http://www.mte.gov.br/Empregador/segau/Pesquisa/CA_DET.asp?vNRCAProc=18822&Equipamento=00&NOEquipamento=&Fabricante=00&NOFabricante=)
- AS/NZS 1337 - AS/NZS 1337, ANSI.Z.87.1/1989 MTE Link http://www.mte.gov.br/Empregador/segau/Pesquisa/CA_DET.asp?vNRCAProc=18822&Equipamento=00&NOEquipamento=&Fabricante=00&NOFabricante=
- CSA Z94.3 - Certified to the requirements of CSA Z94.3 standard
- - EC Category PPE: Category II, Standards EN166/EN170/EN172, European Directives 89/686/EEC, Quality Assurance ISO 9001/2000, Optical Class I, F-Low energy impact

Historical Brand

Pulsafe, Willson

Warranty Information

LIMITED WARRANTY: Sperian warrants that its products are free from defects in material and workmanship. A product that is subject of a warranty claim must first be made available to an authorized Sperian Safety distributor or the to seller from whom the product was purchased. All warranty returns must be shipped pre-paid. Sperian or the Sperian Safety distributor will then determine whether repair or replacement of the product is the appropriate remedy. This will be done at no charge to the end-user. This limited warranty does not cover any Sperian product or component found to have been altered, misused, abused tampered with or improperly maintained or to have deteriorated due to aging of any components made of rubber or any other elastomer. This limited warranty does not cover any damage, loss or expense due to damage caused by accident, abuse, improper maintenance, use or misuse of the product. Sperian Safety should be used only on strict accordance with and adherence to the detailed instructions and warnings provided with the product.

Specifications

Range	Spectacle
Lens Type	Single
Lens Overall Width	150mm
Lens Material	Polycarbonate

Sperian A700 Series

Lens Coating	Hardcoat, Fog-Ban® Anti-Fog Coating
Lens Thickness	2.0mm
Available Lens Tints	Clear, TSR® Gray, Amber, Blue Mirror, I/O Silver
Replacement Lenses Available (Yes/No)	No
Rx Capable	No
Temple Material	Polycarbonate
Temple Length	110mm
Temple Set-back	50mm
Temple Style	1 piece
Spectacle Weight	21.65 grams
Frame Material	Frameless Uni-lens
Available Frame Colors	Clear, Gray
Dielectric Frame (Yes/No)	Yes
Packaging	1/polybag, 10 pr./stocker, 200 pr./case
Country of Origin	China
Side Shield Material	N/A
MSDS Requirements	None
WHMIS Requirements	None
Harmonization Code	9004.90.0000

Training & Proper Use

All products come packaged with instructions and warnings for proper use.

Technical Support

Americas: information@sperianprotection.com; 800-682-0839

RELATED PRODUCTS

Honeywell

View other region sites
© 2011 Honeywell International Inc.

Locally available from

ANSAC

35, Marsiling Industrial Estate Road 3,
#02-01 Singapore 739257

T: (65) 6368 0225 F: (65) 6368 8023

E: sales@ansac-tech.com.sg | www.ansac-tech.com.sg