



**PRODUCT NUMBER: 2232235**  
**PERFECT CUTTING® MIX**

For the handling of small sharp parts in a dry environment.

**Honeywell**

**Overview**

**Reference Number**

2232235

**Product Type**

Gloves

**Range**

Cut and Puncture Protection

**Line**

Cut resistant

**Brand**

Honeywell

**Brand formerly known as**

SPERIAN

**Industry**

- Automotive and Part Manufacturer
- Aviation
- Building and Construction
- Catering
- Energy or Electricity
- Glass Industries
- Logistics
- Maintenance
- Metal steel
- Paper Industries
- Services
- Telecoms
- Transportation
- Utilities

**Product Use**

For the handling of small sharp parts in a dry environment.

**Features & Benefits**

**Feature**

Dyneema®/polyamide knitted glove  
Grey polyurethane coating on the palm and finger tips  
Mottled grey look  
Elastic wrist

**Benefit**

COMFORT

The knitting technique helps to obtain a glove that conforms snugly to the hand, with good dexterity. The glove offers maximum comfort and added sturdiness.

The cool Dyneema® touch gives an added sensation of comfort.  
 The glove's ventilated back optimises its breathability.  
 Its rough finish improves the glove's ability to grasp parts considerably.

**RESISTANCE**

The Dyneema® thread provides outstanding properties against cutting.  
 The polyurethane coating at the palm and fingertips provides outstanding abrasion resistance.  
 Caution! Do not expose this glove to the heat.

**HYGIENE**

Its grey colour makes it more soilproof, thus ensuring a longer last.

**Technical Description**

**Description**

CE CATEGORY : II Intermediary risks  
 In accordance with standards :  
 EN 420-2003 EEC Basic standards  
 EN 388-2003 Mechanical hazards

**CHARACTERISTICS :**

Dyneema®/polyamide knitted glove  
 Grey polyurethane coating on the palm and finger tips  
 Mottled grey look  
 Elastic wrist

**Product Technology**

Knitted Coated

**Gauge**

13

**Glove/liner color**

Grey look

**Coating Type**

Dyneema® and polyamide

**Length**

25 cm

**Harmlessness**

In conformity with the European standards

**Dexterity**

Class 5

**Sizes**

6 to 10

**EN 388 - Mechanical Hazards Abrasion Resistance**

Abrasion resistance	4
Cutting resistance	3
Tear resistance	4
Puncture resistance	3

**Packaging Label**

**Tagging**

CE HONEYWELL  
 2232235 XX  
 EN 420  
 EN 388 : 4343

**Certifications**

 **E.C. Declaration of Conformity**

**EC Category PPE**

2

**Quality Assurance**

ISO 9001 / 2000

**EC Certificate Number**

0075/797/162/11/06/0300

**EC Attestation**

 EC Attestation

**EC Attestation Number**

0075/797/162/11/06/0300

## Additional Information

**User Manual**

UI 102

**User Information Sheet**

102

## Maintenance

**Storage Information**

Minimum packaging 10 pairs.

Boxes of 100 pairs.

**Care Instructions**

This article can be cleaned. For cleaning instructions, please contact Honeywell Safety Products.

© Honeywell International Inc.

Locally available from

**ANSAC**

**ANSAC TECHNOLOGY (S) PTE LTD**

35, Marsiling Industrial Estate Road 3,

#02-01 Singapore 739257

T: (65) 6368 0225 F: (65) 6368 8023

E: [sales@ansac-tech.com.sg](mailto:sales@ansac-tech.com.sg) | [www.ansac-tech.com.sg](http://www.ansac-tech.com.sg)