



PRODUCT NUMBER: 2342545
Vertigo Check & Go Black PU

5
 Handling sharp parts in a dry or greasy environment.

Honeywell

Overview

Reference Number

2342545

Product Type

Gloves

Range

Cut and Puncture Protection

Line

Cut resistant

Brand

Honeywell

Industry

- Automotive and Part Manufacturer
- Aviation
- Building and Construction
- Catering
- Energy or Electricity
- Glass Industries
- Logistics
- Maintenance
- Metal steel
- Paper Industries
- Services
- Telecoms
- Transportation
- Utilities

Product Use

Handling sharp parts in a dry or greasy environment.

Features & Benefits

Feature

Black Spectra® and composite fiber knitted glove
 Black Polyurethane coating on palm

Benefit

COMFORT

The knitting technique helps to obtain a glove that conforms snugly to the hand, with good dexterity.
 The glove offers maximum comfort and added sturdiness.
 The cool Spectra® touch gives an added sensation of comfort.
 The tight knit (gauge 13) gives the glove perfect support, limits the penetration of dirt and offers a good touch.
 The glove's ventilated back optimises its breathability.

RESISTANCE

The Spectra®/lycra® thread provides outstanding properties against cuts.
 The polyurethane coating at the palm and fingertips provides outstanding abrasion resistance.
 The composite fiber fully protected by polyamide increase the cut resistance.
 Caution! Do not expose this glove to the heat.

SAFETY

Marking of the cut resistance level on top of the glove for a better identification of the protection by safety manager and worker.

HYGIENE

Its black colour enables work in a slightly soiled environment.

Technical Description

Description

CE CATEGORY : II Intermediary risks
 In accordance with standards :
 EN 420-2003 EEC Basic standards
 EN 388-2003 Mechanical hazards

CHARACTERISTICS : Black Spectra® and composite fiber knitted glove
 Black Polyurethane coating on palm

Product Technology

Knitted Coated

Fiber

Spectra® and composite fiber

Gauge

13

Glove/liner color

Black

Coating Type

PU

Coating Color

Black

Length

23,5 cm

Harmlessness

In conformity with the European standards

Dexterity

Class 5

Sizes

6 to 11

EN 388 - Mechanical Hazards Abrasion Resistance

Abrasion resistance	4
Cutting resistance (Coupe test)	5
Tear resistance	4
Puncture resistance	3

Packaging Label

Tagging

CE HONEYWELL
 2342545XX
 EN 420
 EN 388 : 4543

Certifications

 E.C. Declaration of Conformity

EC Category PPE

2

Quality Assurance

ISO 9001 / 2000

EC Certificate Number

0075/797/162/10/15/1028

EC Attestation

 AET_2342545

EC Attestation Number

0075/797/162/10/15/1028

Photos & Images

Additional Information

User Manual

UI 102

User Information Sheet

102

Maintenance

Storage Information

Minimum packaging 10 pairs.

Cartons of 100 pairs.

Care Instructions

This article can be cleaned. For cleaning instructions, please contact Honeywell safety products

© Honeywell International Inc.

Locally available from

ANSAC

ANSAC TECHNOLOGY (S) PTE LTD

35, Marsiling Industrial Estate Road 3,

#02-01 Singapore 739257

T: (65) 6368 0225 F: (65) 6368 8023

E: sales@ansac-tech.com.sg | www.ansac-tech.com.sg